--schedule-set-up--.

Page 5, line 5: Change "route searching" to --route-searching--.

Page 5, line 8: Change "schedule set up" to --schedule-set-up--.

Page 5, line 11: Change "schedule preparing" to --schedule-preparing--.

Page 5, line 14: Change "information obtaining" to --information-obtaining--.

Page 5, line 18: Change "schedule preparing" to --schedule-preparing--.

Page 5, line 19: Change "information obtaining" to --information-obtaining--.

Page 5, line 21: Change "schedule preparing" to --schedule-preparing--.

Page 5, line 22: Change "schedule preparing" to --schedule-preparing--.

Page 6, line 10: After "FIG. 6" insert --,--; after "FIG. 5" insert --,-- and change "show" to --shows--.

Page 7, line 11: Change "set up" to --set-up--.

Page 7, line 13: Change "Modes for Carrying Out the

Invention" to --Detailed Description--.

Page 7, line 20: After "center 2" insert --to--.

Page 8, line 10: After "GPS" insert --,--.

Page 10, line 26: Change "set up" to --set-up--.

Page 11, line 27: Change "facility type" to --facility-type--.

Page 12, line 4: Before "walk" insert --a--.

Page 12, line 5: Change "facility type" to

--facility-type--.

Page 12, line 11: Change "facility type" to

--facility-type--.

Page 13, line 6: Change "facility" to -- facility ---.

Page 13, line 17: Change "facility type" to

--facility-type--.

Page 14, line 7: Change "facility type" to

-- facility-type--.

Page 14, line 11: Change "facility type" to

-- facility-type--.

Page 14, line 16: Change "facility type" to

-- facility-type--.

Page 15, line 3: Change "facility type" to

--facility-type--.

Page 15, line 17: Change "determined" to --determine --.

Page 16, line 13: Change "facility type" to

--facility-type-- (2 occurrences).

Page 19, line 6: After "200" insert --makes--.

Page 20, line 13: Change "setup" to --set-up--.

Page 22, line 21" Change "In an instance of this sort" to

--In such a case--.

Page 24, line 16: After "example" insert --,--.

In the Claims:

Please amend claims 1-4 as follows: